

Hofmann & Sommer

Traditional medicine from Thuringia



Hofmann & Sommer GmbH und Co. KG Chemisch-Pharmazeutische Fabrik

**Hofmann
& Sommer**

seit 1906

Traditional medicine from Thuringia.

For over 100 years:

Traditional medicine from Thuringia

You know "old acquaintances" such as Dreierlei-Tropfen, Hingfong-Essenz®, W-Tropfen® and many more from your home pharmacy.

These traditional medicines originated in Königsee, Thuringia, where they have been produced by Hofmann & Sommer for over one hundred years.

Situated on the northern edge of the Thuringian Forest, from the 17th century onwards the town was a center of the pan-European olities trades and the distribution of Thuringian medicinal herbs and the home remedies made from them.


From this tradition, Königsee developed in the 19th century into an important location for the early industrial production of medicines in Thuringia. When the Hofmann & Sommer company was founded in 1906, numerous companies and pharmacies in the town and the surrounding villages were producing drops, ointments and medicines. Today, Hofmann & Sommer is the only representative of this once great traditional trade in the town of Königsee.

The expansion of the company from a laboratory business to a pharmaceutical manufacturer known beyond the borders of eastern Germany began in the 1950s. The product range was constantly changed as well as expanded and other well-known brands such as Sepso® J, Valerian tincture Melival® and TATAR® elixir of life were

transferred to Hofmann & Sommer. Despite the positive development, the company lost its independence in 1972 and was completely nationalized under the name "VEB Pharmazeutika Königsee". This only changed with German reunification and subsequent reprivatization under the traditional name Hofmann & Sommer. Thanks to the commitment of Mrs. Barbara Fischer, née Hofmann and granddaughter of the company's founder and her authorized representative and current managing director, Dr. Ernst-J. Strätling, this reprivatization was completed by 1993.

A new beginning had been made.

This was one of the East German success stories that made the company famous far beyond the borders of the Free State of Thuringia. Thanks to the commitment and competent company management under Dr. Ernst-J. Strätling, the small family business developed into a modern pharmaceutical company. Starting with ten employees and a few registrations in 1993, he worked continuously on the reassignment of the former trademarks of the traditional company Hofmann & Sommer. In the following years, this was successfully completed and further traditional brands were acquired. An important factor was and is the exclusive distribution of the products through pharmacies. This is the only way to guarantee professional advice on the preparations.



The Humpback Pharmacist sculpture donated by Hofmann & Sommer next to the town hall of Königsee.

With contract manufacturing for well-known retail chains and other pharmaceutical companies as well as the production of homeopathic preparations, the company was able to open up two further important business areas shortly after reprivatization.

The range of services includes the production, filling and packaging of various liquids, ointments and other pharmaceutical products, also in small batches and creative packaging. In the field of homeopathy, around 2000 different formulations and complex remedies can be produced. Today, more than 280 alternative practitioners and many pharmacies from Germany are among the company's partners.

A group of companies has developed around the parent company Hofmann & Sommer over the last two decades through takeovers and the founding of new companies. Supported by its own research and development department, the product and service range as a group of companies has been considerably expanded and more than 90 jobs have been created and secured in Thuringia. Sales have increased multiple times in the last years. Not least because, in addi-


tion to traditional phytopharmaceuticals and antiseptics, the company's portfolio also includes homeopathy products, cosmetics, medicinal baths, food supplements and since 2014, food products.

Hofmann & Sommer is not just a commercial enterprise.

The company is committed to its home region and supports a wide variety of projects. Since 2001, Hofmann & Sommer has donated the "Wandering Medicinal Herb Prize of the City of Königsee". It honors people and groups of people who have contributed to the development and promotion of the tradition of Thuringian medicinal herbs as well as their further development and their use. The cooperation in various local and regional associations and societies as well as cooperation's with several universities in the fields of research, development and teaching round off this commitment.


Our company motto: "We have kept it - because it has stood the test of time". clearly shows that it is also possible to break new ground with "old acquaintances".

Hofmann & Sommer - Traditional medicine from Thuringia



Triple drops

Traditional digestive



Preparation information:

The classic remedy for stomach problems and digestive issues.

Traditionally used to support digestive function.


Contains ether vine spirit, valerian tincture and mint oil.

50 ml content PZN 04008665

Over-the-counter

Hingfong Essence Hofmann's®

Traditional sedative



Preparation information:

The classic for nervous stress.

Traditionally used: Internally to improve well-being during nervous stress. Externally to support skin circulation.

Proven Thuringian active ingredient combination.

50 ml content PZN 06608530

Over-the-counter

For risks and side effects, read the package leaflet and ask your doctor or pharmacist. In case of further signs of illness or unclear symptoms, a doctor should be consulted.

Hingfong-Essenz Hofmann's®; Composition: 1 g (25 drops) of liquid contains: Active ingredients: Tincture of valerian roots (1:5) extractant ethanol 70% (V/V) 40 mg, peppermint oil 7.2 mg, rosemary oil 3 mg, D-camphor 4 mg, ether 16 mg, other ingredients: spruce needle oil, lavender oil, bitter fennel oil, star anise oil, ethanol, purified water, colorant E 141; **Areas of application:** Traditionally used: Orally for improvement of well-being during nervous strain. Externally to support skin circulation. These indications are solely based on tradition and long-standing experience. **Contraindications:** Allergy to anise or any of the other ingredients, stomach and duodenal ulcers, obstruction of the bile ducts, gallbladder inflammation, severe liver damage, pregnancy; The use in cases of gallstone disease should only be done after consultation with a doctor. **Side effects:** very rare: hypersensitivity reactions (including difficulty breathing); if necessary, discontinue the preparation and consult a doctor; **Notes:** contains 630 mg of alcohol (ethanol) per 25 drops, equivalent to 552 mg/ml. The effect of other drugs may be impaired or enhanced. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH and Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Sepso® J Solution

Antiseptic containing povidone-iodine



Preparation information:

Registered disinfectant in the disinfectant list of the Association for Applied Hygiene (VAH).

For disinfection of the skin and mucous membrane.

For repeated, temporally limited antiseptic wound treatment.

For hygienic and surgical hand disinfection.

10 ml content PZN 06999134

30 ml content PZN 06999140

500 ml content PZN 07704052

1000 ml content PZN 06612170

Pharmacy-only

**Hofmann
& Sommer**

seit 1906

Sepso® J Solution; Active ingredient: Povidone-Iodine; **Composition:** 1 ml of solution contains: 0.104 g of Povidone-Iodine, average molecular weight of Povidone approximately 45,000 - 50,000, with a content of 11% available iodine. Other ingredients: Nonoxynol 9, sodium monohydrogen phosphate dodecahydrate, citric acid, potassium iodate, purified water; **Areas of application:** Disinfectant, antiseptic for application on skin, mucous membranes, and wounds; single use for disinfection of external skin, oral mucosa, vagina, cervix, and urethra; repeated, time-limited use as an antiseptic for hand disinfection, bladder catheterization, and damaged skin; **Contraindications:** Hypersensitivity to iodine or any of the other ingredients, hyperthyroidism or other manifest thyroid disease, dermatitis herpetiformis Duhring, planned or completed radioiodine therapy until its completion; simultaneous use of mercury-containing disinfectants; regular use is to be avoided during concurrent lithium therapy; **Side effects:** Rare: skin irritation after skin disinfection before surgical procedures or operations, allergic reactions (itching, burning, redness, blisters, etc.); very rare: allergic reactions, often accompanied by anaphylactic reactions (drop in blood pressure, dizziness, nausea, and possibly difficulty breathing) or angioedema (swelling of the skin and mucous membranes, especially in the facial area); After the application of larger amounts of Povidone-Iodine-containing medicinal products (e.g., in burn treatment), the occurrence of (additional) electrolyte and serum osmolarity disorders, impairment of kidney function, and acidification of the blood (metabolic acidosis) have been described. **Notes:** Monitoring of thyroid function may be necessary: after thyroid diseases, pregnancy, lactation, in newborns and infants up to 6 months, and in elderly individuals. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH und Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Sepso® J Ointment

Povidone-iodine containing wound treatment agent



25 g content PZN 01348320

100 g content PZN 01348337

Pharmacy-only

Preparation information:

Antiseptic for application to the skin.

Provides rapid relief with superficial skin lesions such as cuts and abrasions, burns, and scalds.

For use in infected and superinfected skin conditions, pressure ulcers (decubitus), open leg ulcers (ulcus cruris), certain bacterial skin inflammations (pyodermatitis).

For risks and side effects, read the package leaflet and ask your doctor or pharmacist. In case of further signs of illness or unclear symptoms, a doctor should be consulted.

Sepso® J ointment; Active ingredient: Povidone-iodine; **Composition:** 1 g of ointment contains as active ingredient: 100 mg of Povidone-iodine (complex with an average molecular weight of 44,000 to 54,000 and 10% available iodine); other ingredients: Macrogol, Purified water; **Areas of application:** for repeated, temporary superficial application on cuts and abrasions, burns and scalds, infected and superinfected skin diseases, decubitus ulcers, leg ulcers, pyodermas; **Contraindications:** thyroid disorders, hypersensitivity to iodine or any of the other ingredients, before and after radioiodine therapy, newborns and infants up to 6 months of age, pregnancy, breast-feeding, dermatitis herpetiformis Duhring; **Side effects:** local: very rare: hypersensitivity reactions to Povidone-iodine or Macrogol: redness, itching mainly in elderly people - seek immediate medical attention; in isolated cases: delayed-type local contact allergic reactions; with prolonged treatment: cytotoxic side effects with temporary pain, burning, and sensation of warmth; Side effect on thyroid function: with extensive or repeated use, especially on damaged skin: in extreme cases: significant weight and fluid loss, palpitations, high fever, mental agitation - regular monitoring of thyroid function necessary; other systemic side effects: after ingestion of large amounts: occurrence of disturbances in electrolyte and water balance, renal dysfunction, metabolic acidosis; **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH and Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

W-Drops®

Dermatic containing salicylic and lactic acid



Preparation information:

The proven solution for removing calluses and corns.


The highly effective combination of salicylic and lactic acid requires only short-term application.

10 ml content PZN 04347462

Over-the-counter

Cidegol® C

Chlorhexidine digluconate-containing oral and throat therapeutic.



Preparation information:

Prepared mouth rinse solution for use in the oral cavity.

For temporary reduction of microbial count in the oral cavity.

As a temporary supportive therapy in case of limited ability for oral hygiene.

Following periodontal surgical procedures.

50 ml content PZN 04006011

300 ml content PZN 08488981

1000 ml content PZN 04006028


Pharmacy-only

For risks and side effects, read the package leaflet and ask your doctor or pharmacist. In case of further signs of illness or unclear symptoms, a doctor should be consulted.

Cidegol® C; Active ingredient: Chlorhexidine bis(D-gluconate); **Composition:** 100 g solution contain: Active ingredient: 0.532 g chlorhexidine digluconate solution 20% (m/V) corresponding to 0.10 g chlorhexidine(D-gluconate), other ingredients: Mint oil, clove oil, polysorbate 80, food colorants E 123 and E 124, ethanol 96%, purified water; **Areas of application:** For temporary reduction of bacterial count in the oral cavity. As temporary supportive therapy for mechanical cleaning in bacterially induced inflammations of the gums and oral mucosa as well as after periodontal surgical procedures. In cases of impaired oral hygiene ability. **Contraindications:** Hypersensitivity to any of the active substances or other ingredients as well as in poorly perfused tissue, wounds, ulcers in the oral cavity. Cidegol® C should not be used in erosive-desquamative changes of the oral mucosa. Cidegol® C should be used during pregnancy and lactation only with special caution, as there are no sufficient experiences or research available. Extensive application should be avoided. **Side effects:** Rare: increased formation of tartar, gum bleeding after regular tooth brushing; very rare: allergic immediate reactions, contact allergies and urticaria, reversible damage to the oral mucosa; Reversible changes of dental hard tissues, restorations and lingual papillae, brownish discoloration of teeth and wound healing disorders are possible. **Notes:** This medicine contains menthol, amaranth, and ponceau 4R, which can cause allergy-like reactions in individuals particularly sensitive to these substances. Contains alcohol (ethanol) equivalent to 189 mg/ml. The low amount of alcohol in this medicine has no noticeable effects. It may cause a burning sensation in damaged mucous membranes. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH and Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Mistletoe drops Hofmann's® Traditional

Herbal cardiac



Preparation information:

Traditionally used to support circulatory function in the form of the oral mistletoe therapy.

50 ml content PZN 09617021

Over-the-counter

For risks and side effects, read the package leaflet and ask your doctor or pharmacist. In case of further signs of illness or unclear symptoms, a doctor should be consulted.

Mistletoe Drops Hofmann's® Traditional; Active ingredient: Mistletoe herb tincture: Composition: 10.0 ml contain: Active ingredient: tincture of mistletoe herb (1:4-5) 10.0 ml Extractant: Ethanol 70% (V/V); **Areas of application:** Traditionally used to support circulatory function. The medicinal product is a traditional herbal medicinal product registered exclusively based on long-standing use for the specified area of application. **Contraindications:** Hypersensitivity to mistletoe herb tincture, alcoholics; **Side effects:** when dosage instructions are followed: none known; **Notes:** contains 63-70% vol. alcohol. When following the dosage instructions, up to 0.6 g of alcohol is added with every 25 drops taken. There is a health risk, among others, for patients with liver diseases, alcoholics, epileptics, brain damage, pregnant women, and children. The effect of other medicinal products may be impaired or intensified. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH and Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Myrrh tincture Hofmann's®

Herbal oral and pharyngeal therapeutic agent



Preparation information:

For use in cases of inflammation in the mouth and throat.

Can be applied directly onto the corresponding areas undiluted or used diluted with water for rinsing or gargling in the mouth and throat area.

30 ml content PZN 00691091

50 ml content PZN 00691122

Over-the-counter

Hoffmann's drops Hofmann's®

Analeptic



Preparation information:

A classic of the home pharmacy.

Developed in the 17th century by Friedrich Hofmann (1660–1742), a German physician and personal physician to Friedrich I of Prussia.

Traditionally used to improve well-being during episodes of weakness.

30 ml content PZN 04899730

Over-the-counter

For risks and side effects, read the package leaflet and ask your doctor or pharmacist. In case of further signs of illness or unclear symptoms, a doctor should be consulted.

Hoffmann's Drops Hofmann's®; Composition: 1 g contains: Active ingredients: Ether 0.25 g, Ethanol 96% 0.69 g; other ingredients: Purified water; **Areas of application:** Traditionally used to improve well-being during episodes of weakness. This information is based solely on tradition and many years of experience. A doctor should be consulted if signs of illness occur. **Contraindications:** Hypersensitivity to any of the active ingredients or other components. Pregnancy and breastfeeding; should not be taken in cases of stomach and duodenal ulcers, obstruction of the bile ducts, gallbladder inflammation, severe liver diseases; by children under 12 years of age, as there is insufficient experience available; **Side effects:** none known; **Notes:** contains 840 mg of alcohol (ethanol) per 30 drops, equivalent to 576 mg/ml. The small amount of alcohol has no noticeable effects. The effect of other medicinal products may be impaired or enhanced. **Pharmaceutical entrepreneur:** Hoffmann & Sommer GmbH and Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Arnica tincture Hofmann's®

Herbal antiphlogistic



Preparation information:

For external use in case of injury and accident consequences.

For rheumatic muscle and joint complaints.

50 ml content PZN 00691145

100 ml content PZN 00691180

Over-the-counter

**Hofmann
& Sommer**

seit 1906

Arnica tincture Hofmann's®; Active ingredient: Arnica tincture; Composition: 100 ml contain: Active ingredient: 100 ml tincture from arnica flowers (1:10 [ratio of drug to extraction solvent]) Extraction solvent: Ethanol 70% (V/V). **Areas of application:** For external use in case of injuries and accident consequences, e.g., bruises, sprains, contusions, crush injuries, edema resulting from a bone fracture, rheumatic muscle and joint complaints; furunculosis and inflammation resulting from insect bites; superficial vein inflammation. Not for oral use! In case of unclear, prolonged, or newly occurring complaints, a doctor should be consulted. **Contraindications:** Hypersensitivity to arnica and other Asteraceae family members, e.g., chamomile, marigold, yarrow. **Side effects:** Prolonged application on damaged skin, e.g., in case of injuries or leg ulcers: frequent skin inflammation with swelling and/or blistering; with prolonged use: eczema; If side effects occur: discontinue treatment, thoroughly rinse affected areas with water, then consult a doctor. **Notes:** For external use only! This medicine contains alcohol (ethanol), equivalent to 521 mg/ml. On damaged skin, it may cause a burning sensation. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH und Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Melissa Spirit H Hofmann's®

Herbal digestive



Preparation information:

Traditionally used to support digestive function; externally to support skin circulation.

Proven combination of herbal ingredients and essential oils.

50 ml content PZN 03525660

250 ml content PZN 01822454

500 ml content PZN 01822460

Over-the-counter

For risks and side effects, read the package leaflet and ask your doctor or pharmacist. In case of further signs of illness or unclear symptoms, a doctor should be consulted.

Melissa Spirit H Hofmann's®: Composition: 100 g (corresponding to 116.7 ml) of liquid contains: Active ingredients: 5.0 g distillate prepared from 0.885 g of a mixture of lemon balm leaves, sage leaves, rosemary leaves, thyme leaves, angelica roots, nutmeg seeds, cinnamon bark, cloves, and lemon oil (1:0.125:0.1:0.083:0.067:0.042:0.033:0.017:0.008:0.017:0.008), Distillation agent: Ethanol 70% (V/V) and levomenthol 15.0 mg, citronellol 13.4 mg, lemon oil 6.7 mg, clove oil 1.0 mg, cinnamon oil 1.0 mg; Other ingredients: Ethanol 96%, Purified water; **Areas of application:** traditionally used medicinal product to support digestive function and externally to support skin circulation. These indications are based solely on tradition and many years of experience. If symptoms of illness or unclear complaints occur, a doctor should be consulted. **Contraindications:** Hypersensitivity to cinnamon, Peru balsam, or any other ingredient, on damaged skin, e.g., in burns, eczema, and open wounds, in skin diseases and childhood diseases with rash, on mucous membranes and the eye; **Side effects:** increased irritation of the skin and mucous membranes, coughing and bronchospasms due to essential oils, contact eczema, hypersensitivity reactions in the gastrointestinal tract; with prolonged exposure to sunlight or UV radiation: sunburn-like skin inflammation; In these cases, the medicinal product should be discontinued, and a doctor consulted. Cinnamon (cinnamaldehyde) can cause skin irritation. **Notes:** The furanocoumarins contained in angelica root make the skin more sensitive to light and can lead to skin inflammation in connection with UV radiation. Therefore, for the duration of use, prolonged sunbathing and intense UV radiation should be avoided. This applies especially to areas of the skin that have been treated externally. Hands should be thoroughly cleaned after application. This medicinal product contains 80% alcohol by volume. When following the dosage instructions, up to 1g of alcohol is added with every 30 drops taken. Health risks exist, among others, in patients with liver disease, alcoholism, epilepsy, patients with organic brain diseases, pregnant women, breastfeeding mothers, and children. The effect of other medicinal products may be impaired or enhanced. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH and Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Painex pain cream Hofmann's®

Herbal anti-inflammatory



Preparation information:

Herbal medicinal product for the external treatment of muscle and joint pain as well as for the supportive treatment of rheumatic complaints and muscle pain.

100 g content PZN 10947195

Pharmacy-only


**Hofmann
& Sommer**

seit 1906

Painex Pain Cream Hofmann's®; Composition: 10 g cream contain: 0.625 g peppermint oil, 0.625 g eucalyptus oil, 0.4 g rosemary oil; other ingredients: medium-chain triglycerides, hard fat, glycerol (dihydrogen citrate) stearate, glycerol mono/diglyceride fatty acid esters, cetyl palmitate, xanthan gum, bleached wax, octyldodecanol, purified water; **Areas of application:** Herbal medicinal product for external treatment of muscle and joint pain; for external supportive treatment of rheumatic complaints and muscle pain; **Contraindications:** Hypersensitivity to any of the ingredients; breastfeeding; on damaged skin; skin and childhood diseases with exanthema; bronchial asthma, whooping cough, pseudocroup and other respiratory diseases associated with pronounced hypersensitivity of the airways; infants and children under 2 years of age; **Side effects:** Rare: allergic symptoms (skin rash, redness, blistering, urticaria, swelling, contact dermatitis or increased irritation of the skin and mucous membranes, bronchospasm); **Notes:** Children should not touch the rubbed skin areas with their hands. Inhaling pain cream can cause shortness of breath or trigger an asthma attack. Inhalation of cineole-containing essential oils can in rare cases cause coughing. Peppermint oil, eucalyptus oil, and rosemary oil can cause laryngospasm in children under 2 years of age, resulting in severe breathing difficulties. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH and Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Cold and Rheumatism Bath R Hofmann's®

Medicinal bath with the PLUS of eucalyptus oil



Preparation information:

Rich in valuable eucalyptus oil.

Reduces the typical symptoms (cough, nasal congestion) due to its antiseptic, expectorant, and mucolytic properties. Facilitates breathing. Stimulates skin circulation and accelerates the healing of inflammatory processes.

Provides relief for rheumatic complaints.

250 ml content PZN 10146555

Over-the-counter

For risks and side effects, read the package leaflet and ask your doctor or pharmacist. In case of further signs of illness or unclear symptoms, a doctor should be consulted.

Cold and rheumatism bath R Hofmann's®; Composition: 100 ml (= 103.8 g) bath additive contains: Active ingredient: 30.82 g of eucalyptus oil; other ingredients: polysorbate 20, purified water, colorant E 124; **Areas of application:** for supportive treatment of acute and chronic catarrhs of the respiratory tract and for supportive treatment of rheumatic complaints; **Contraindications:** Hypersensitivity to eucalyptus oil or other ingredients, infants and children up to 2 years of age, bronchial asthma; only after consultation with a doctor in case of major skin injuries, unclear skin diseases, severe chronic and infectious diseases, heart failure, hypertension; should not be used during pregnancy and breastfeeding as safety has not been sufficiently studied; **Side effects:** in appropriately sensitized patients, hypersensitivity reactions (including difficulty breathing) may be triggered; **Notes:** for external use only and do not apply in the area of the eyes. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH and Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Ethanol 70%(V/V) Hofmann's® (undenatured)

German standard approval according to § 36 Medicinal Products Act



Preparation information:

Versatile disinfectant.

For hygienic hand disinfection and for the preparation of cold compresses.

Free from additives and denaturants.

100 ml content PZN 04775778


200 ml content PZN 10112510

500 ml content PZN 01038884

Over-the-counter

Isopropyl alcohol 70%(V/V) Hofmann's®

German standard approval according to § 36 Medicinal Products Act



Preparation information:

The affordable disinfectant alternative to 70% ethanol (V/V).

For hygienic and surgical hand disinfection and for skin disinfection before simple injections and punctures of peripheral vessels.

For preparing cold compresses.

100 ml content PZN 00690536

200 ml content PZN 10112496

500 ml content PZN 00691079


Over-the-counter

For risks and side effects, read the package leaflet and ask your doctor or pharmacist. In case of further signs of illness or unclear symptoms, a doctor should be consulted.

Isopropyl alcohol 70% (V/V) Hofmann's®; Active ingredient: 2-Propanol; **Composition:** 100 g contain: Active ingredient: 2-Propanol 63.1 g, other ingredient: Purified water; **Areas of application:** hygienic and surgical hand disinfection, skin disinfection before simple injections and punctures of peripheral vessels, skin disinfection before surgeries and before joint punctures, disinfection of sebum-rich skin; **Cool compresses;** **Contraindications:** Hypersensitivity to 2-Propanol or water. Not suitable for disinfecting open wounds. **Side effects:** Redness and slight burning may occur when rubbing the skin. **Notes:** Not suitable for storing sterile instruments and syringes. **Pharmaceutical entrepreneur:** Hofmann & Sommer GmbH und Co. KG, Chemical-Pharmaceutical Factory, Lindenstraße 11, 07426 Königsee. For risks and side effects, read the package leaflet and ask your doctor or pharmacist.

Carminativum Hofmann's® Balance

Food supplement



Preparation information:

Herbal food supplement with a herbal extract blend of chamomile, peppermint leaves, and caraway.

Supports the liver-bile system as part of a balanced diet. Take with meals as needed.

30 ml content PZN 12344414

Over-the-counter

*We have kept it –
because it has stood
the test of time.*





Triple drops
50 ml PZN 04008665



Hingfong Essence
Hofmann's®
50 ml PZN 06608530



Sepso® J Solution
10 ml PZN 06999134
30 ml PZN 06999140
500 ml PZN 07704052
1000ml PZN 06612170



Sepso® J Ointment
25 g PZN 01348320
100 g PZN 01348337



W-Drops®
10 ml PZN 04347462



Cidegol® C
50 ml PZN 04006011
300 ml PZN 08488981
1000 ml PZN 04006028



Valerian tincture Melival®
50 ml PZN 01846319
100 ml PZN 01846325



Mistletoe drops
Hofmann's® Traditional
50 ml PZN 09617021



Myrrh tincture
Hofmann's®
30 ml PZN 00691091
50 ml PZN 00691122



Hoffmann's drops
Hofmann's®
30 ml PZN 04899730




Arnica tincture
Hofmann's®
50 ml PZN 00691145
100 ml PZN 00691180



Melissa Spirit H
Hofmann's®
50 ml PZN 03525660
250 ml PZN 01822454
500 ml PZN 01822460



Painex pain cream
Hofmann's®
100 g PZN 10947195



Cold and Rheumatism
Bath R Hofmann's®
250 ml PZN 10146555



Ethanol 70% (V/V)
Hofmann's® (undenatured)
100 ml PZN 04775778
200 ml PZN 10112510
500 ml PZN 01038884



Isopropyl alcohol 70% (V/V)
Hofmann's®
100 ml PZN 00690536
200 ml PZN 10112496
500 ml PZN 00691079



THREE BRANDS



ONE GOAL



Hofmann & Sommer seit 1906



YOUR WELL-BEING



ABOPHARMA



HOME PAGE
www.hofmannundsommer.de



FACEBOOK
www.facebook.com/hofmannundsommer

Hofmann & Sommer GmbH und Co. KG
Chemisch-Pharmazeutische Fabrik
Lindenstraße 11 · 07426 Königsee

Telefon: +49 36738 659-0
Telefax: +49 36738 659-119
E-Mail: kontakt@hofmannundsommer.de

www.hofmannundsommer.de